

YELAGIN, Vladimir Dmitriyevich; GLAZUNOVA, N.I., red.; RAKITIN, I.T.,  
tekhn. ref.

[Plus electrification...] Plus elektrifikatsiya... Moskva,  
Izd-vo "Znanie," 1962. 47 p. (Narodnyi universitet kul'tury.  
Sel'skokhoziaistvennyi fakul'tet, no.1) (MIRA 15:4)  
(Rural electrification) (Electricity in agriculture)

RECEIVED, U.S. AIR FORCE

RECEIVED, U.S. AIR FORCE  
1. 3:11:40 PM

1. 3:11:40 PM

SMIRNOVA, K.M.; GLAZUNOVA, N.M.

Dynamics of chemical properties of soils under marliharbaceous  
stands. Vest.Mosk. un. Ser. biol., pochv., geol., geog. 13  
no.2:109-120 '58. (MIFA 11:9)

1. Moskovskiy gos. universitet, Kafedra pochvovedeniya.  
(Forest soils) (Soil chemistry) (Birch)

GLAZUNOVA, N.T.

~~A solution for the first basic problem in the theory of elasticity of~~  
orthotropic wedges. Izv.vys.ucheb.zav.; stroi. i arkhitekt. no.5:  
11-21 '58. (MIRA 12:1)

1. Novocherkasskiy politekhnicheskii institut imeni Serge Ordzhoniki-  
dze.

(Elastic plates and shells)

GLAZUNOVA, I. T.: Master Tech Sci (diss) -- "A solution to the plane problem in the theory of elasticity of certain orthotropic sheets". Novosibirsk, 1959. 14 pp (Min Higher Educ USSR, Novosibirsk center of Laboratory Science Polytch Inst in S. G. Ginzburgskaya), 140 copies (KL, Nov, 1959, 140)

S/147/01/000/004/017/021  
EC81/E435

AUTHORS: Vorob'yev, L.N., Glazunova, N.T.

TITLE: the question of Saint-Venant's principle

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy,  
Aviatsionnaya tekhnika, no.4, 1961, 132-137

TEXT: The paper is a continuation of previous work of L.N.Vorob'yev (Ref.6: Doklady AN UkrSSR, No.5, 1954, 39) and Ref.7: Nauchnyye trudy Novochecherskogo politekhnicheskogo instituta, v.26, no.40, 1955, 120). The problem of a rectangular plate loaded at its ends with a self-equilibrating system of normal and shear stresses, statically equivalent to zero load, is examined to obtain information on the validity of Saint-Venant's principle in the two-dimensional case. The general method adopted is to assume a load distribution  $q(z)$  on the longitudinal edges of the plate (Fig.1). A solution of the plane elasticity problem corresponding to this loading is then obtained by a Fourier series method and by a method involving polynomials. These two solutions are not identical because they lead to different boundary stresses at the ends of the plate. The  
Card 1/1

S/147/61/000/004/017/021

E081/E435

The question of Saint-Venant's ...

difference between the two solutions gives the stress distribution in the plate corresponding to the application of a self-equilibrating stress system at the ends. The actual stress system depends on the initial form chosen for  $q(x)$ . By suitable choice of this function, the solution is found for the following self-equilibrating systems: shear stress alone; normal stress alone and a combination of the two. In all the cases considered, the stress in transverse sections falls to a negligibly small value at distances from the end of the plate equal to or greater than its width. There are 3 figures and 3 tables.

ASSOCIATION: Novocherkasskiy politekhnicheskii institut  
Kafedra stroitel'noy mekhaniki  
(Novocherkassk Polytechnical Institute,  
Department of Structural Mechanics)

SUBMITTED: February 18, 1961

Card 2/3

VOROB'YEV, L. N., kand. tekhn. nauk, dotsent; GLAZUNOVA, N. T., kand.  
tekhn. nauk, dotsent

Plane stressed state of a rectangular anisotropic plate. Izv.  
vys. ucheb. zav.; mashinestr. no. 7:68-74 '62.  
(MIRA 16:1)

1. Novocherkasskiy politekhnicheskiy institut.

(Elastic plates and shells)



VOROB'YEV, L.N.; GLAZUNOVA, N.T. (Novocherkassk)

Solving a plane problem for a rectangular region. Stroi. mekh.  
i rasch. soor. 4 no.6:3-6 '62. (MIRA 16:1)  
(Elastic plates and shells)

GLAZUNOVA, N.T.

Problem of axisymmetrical bending of slabs. Trudy NPI 136:  
39-50 '63. (MIRA 16:10)

(Slabs) (Flexure)

GLAZUNOVA, N. V.

Concerning a mixed problem of the theory of round slabs. Trudy  
NII 136:51-62 '63. (MIRA 16:10)

(Slabs)

POPOVA, Zh.P.; GLAZUNOVA, N.N.

Organic remains in the oil of the Markov field. Dokl. AN SSSR 161  
no.3:673-675 Mr '65. (MIRA 18:4)

1. Tr. "Vostochnyftogeologiya". Submitted October 6, 1964.

LADA, Igor' Vasil'yevich; GLAZUNOVA, N.V., red.; ROMANOVA, N.I., tekhn. red.

[If the world disarms] Esli mir razoruzhitsia... Moskva, Izd-vo In-ta  
mezhdunarodnykh otnoshenii, 1961. 111 p. (MIRA 14:7)  
(Disarmanent)

VERESHCHETIN, Vladlen Stepanovich; LEBEDKINA, Yelizaveta Dmitriyevna;  
GLAZUNOVA, N.V., red.; ROMANOVA, N.I., tekhn. red.

[International Council of Scientific Unions] Mezhdunarodnyi so-  
vet nauchnykh soiuзов (MSNS). S predisl. V.A. Engel'gardta. Mo-  
skva, Izd-vo In-ta mezhdunarodnykh otnoshenii, 1962. 125 p.  
(MIRA 15:2)

(International Council of Scientific Unions)

ALEKSANDROV, I.V.; ABRADUSHKIN, Yu.S.; GLAZINOVA, O.V.; UTEKINA, V.V.

Analyzing the formation of azine dyes in color development. Part 3:  
Reaction capacity of 3-aminophenol derivatives under color  
development conditions. Zhurn. prikl. i kin. 9 no.2:  
102-108 Mr-Apr '64. (MIRA 17:4)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov  
i krasiteley (NIOPIK).

5(4)

AUTHORS:

Tsetlin, B. L., Sergeyev, V. A., SOV/20-126-1-33/62  
Rafikov, S. R., Korshak, V. V., Corresponding Member AS USSR,  
Glazunova, P. Yu., Eubis, L. D.

TITLE:

The After-effect in the Irradiation of Methylmethacrylate in  
the Presence of Oxygen (Effekt posledeystvii pri oblichenii  
metilmetakrilata v prisutstvii kisloroda)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 126, Nr 1, pp 123-125  
(USSR)

ABSTRACT:

It is a known fact that oxygen inhibits the radical polymeriza-  
tion of many vinyl monomers. This is the case also with  
radiation polymerization (Ref 1). However, the irradiated  
monomer is able to polymerize later, as soon as the supply  
of oxygen is interrupted (Ref 2). This manner of utilizing  
ionization energy is of practical interest. The authors  
investigated the basic rules of this process. The monomer  
was irradiated with fast electrons (900 kev) in an acceler-  
ator of the second Institute mentioned under Association.  
Figure 1 shows the kinetic polymerization curve in dependence  
on the radiation dose R. The initial velocity  $V_0$  of polymer-  
ization is, as figure 2 shows, proportional to  $R^{1/2}$ .

Card 1/3



The After-effect in the Irradiation of Methylmethacrylate in the Presence of Oxygen

SOV/20-126-1-33/62

Figure 3 shows the influence exercised by temperature upon  $V_0$ . Polymerization was introduced by evacuation. The activation energy was calculated as amounting to 11.2 kcal/mol. It is thus considerably lower than the activation energy in the polymerization of methyl methacrylate with benzoyl peroxide, which amounts to 19.7 kcal/mol. The high activity of the peroxide groups formed by irradiation facilitates polymerization at low temperatures. Figure 4 shows the development of polymerization by irradiation, and, as a comparison, the effect of 0.01 % benzoyl peroxide. Apart from the low reaction temperature, irradiation offers the further advantage that, after irradiation, polymerization may be begun at any desired point of time. There are 4 figures and 9 references, 5 of which are Soviet.

Card 2/3

The After-effect in the Irradiation of Methyl-  
methacrylate in the Presence of Oxygen

SOV/20-126-1-33/62

ASSOCIATION: Institut elementoorganicheskikh soyedineniy Akademii nauk  
SSSR (Institute of Elemental-organic Compounds of the Academy  
of Sciences, USSR). Institut fizicheskoy khimii Akademii  
nauk SSSR (Institute of Physical Chemistry of the Academy of  
Sciences, USSR)

SUBMITTED: February 25, 1959

Card 3/3

VOYEVODSKIY, V.V.; GLAZUNOVA, P.Ya.; SMIRNOVA, B.A.; KHAIT, Yu.L.;  
TOPCHIEV, A.V., akademik, otv. red.; POLAK, L.S., dokt.  
fiz.-matem. nauk, otv. red.; BUKALIN, L.N., red.;  
ZEMSELSKAYA, Ch.A., tekhn. red.

[radiolysis of hydrocarbons; some physicochemical problems]Radio-  
liz uglevodorodov; nekotorye fiziko-khimicheskie problemy. Mo-  
skva, Izd-vo Akad. nauk SSSR, 1962. 207 p. (MIRA 15:9)

1. Akademiya nauk SSSR. Institut neftekhimicheskogo sinteza.  
(Hydrocarbons) (Radiochemistry)

GLAZUNOVA, V.

1960 10 14 14:2  
(Moscow--1 14:14 14:25 14:25)

GLAZULOVA, V.,

MEMBER OF THE ...  
S 161,

1. ...  
...

SAPEL'NIKOV, Ya.; GOLOVATYY, I.; GLAZUNOVA, V. aspirant, (Moskva); USTINOV, I.; KOLENKO, A.; KONDRATSKIY, A.; YEFREMOVA, L.; GORBACH, P., konstruktor (Moskva); BERGER, I., kand.ekon.nauk; KLEPIKOV, N.; SINYUTIN, V., kand.ekon.nauk; KORZHENEVSKIY, I., kand.ekon.nauk; PEREPLETCHIK, I.

Fiftieth anniversary of "Pravda." Sov. tovg. 35 no.5:38-42  
My '62. (MIRA 15:5)

1. Nachal'nik Planovo-ekonomicheskogo upravleniya Ministerstva tovgovli RSFSR (for Sapel'nikov). 2. Nachal'nik planovogo otdela kurorttorga, g. Berdyansk (for Golovaty). 3. Moskovskiy ordena Trudovogo krasnogo znameni institut narodnogo khozyaystva im. G.V. Plekhanova (for Glazunova). 4. Nachal'nik Otdela tovaroborota Gosplana USSR, g. Kiyev (for Kolenko). 5. Glavnyy bukhgalter Zhitomirskogo gorodskogo torga po tovgovle promtovarami (for Kondratskiy). 6. Starshiy khudozhnik Obshchesoyuznogo doma modeley (for Yefremova). 7. Zaveduyushchiy sektorom Ukrainskogo nauchno-issledovatel'skogo instituta tovgovli i obshchestvennogo pitaniya (for Berger). 8. Zaveduyushchiy sektorom Nauchno-issledovatel'skogo instituta tovgovli i obshchestvennogo pitaniya, g. Moskva (for Sinyutin). 9. Zaveduyushchiy sektorom Ukrainskogo nauchno-issledovatel'skogo instituta tovgovli i obshchestvennogo pitaniya, g. Kiyev (for Korzhenevskiy).  
(Russian newspapers)

GLAZUNOVA, V.

Advertising and progressive forms of trade. Sov. trog. 35 no.6:60-64,  
(Advertising--Retail trade)

GLAZUNOVA, V.

Language of trade advertisement. Sov.torg. 36 no.12:56-59 D '62.  
(MIRA 16:1)

(Advertising copy)



KUDRYAVTSEV, N.T.; TYUTINA, K.M.; VIKHAYLOV, N.I.; GLAZKOVA, V.E.

Causes of the formation of dark spots on the surface of zinc  
plated parts. Izv.vys.ucheb.zav.; khim.i khim tekhn. 3 no.1:  
166-169 '60. (MIRA 13:6)

1. Kafedra elektrokhemii Moskovskogo khimiko-tekhnologicheskogo  
instituta imeni D.I. Mendeleeva.

(Zinc plating)

(Zinc--Corrosion)

GLAZUNOVA, V.K.; GRUZDEVA, A.K.; KARATAYEV, N.B.

Possibility of using rapid flotation for Zyrianovsk sulfide ores.  
TSvet. met. 34 no.1:7-12 Ja '61. (MIRA 17:3)

17/1000

10572  
S/070/62/007/005/007/014  
E132/E460

AUTHOR: Glazunova, V.K.

TITLE: The influence of certain factors on the growth of whiskers of tin

PERIODICAL: Kristallografiya, v.7, no.5, 1962, 761-763 + 1 plate

TEXT: Whiskers of easily melted metals (Sn, Zn, Cd) have been found in electrodeposited layers. Here, observations on Sn whiskers spontaneously growing from electrodeposits were made involving a) thermal treatment, b) irradiation with ultra-sound, c) cooling and d) externally applied compression. Growth took place over a period of 3 years at a rate of about 0.05 Å/sec for Sn deposited on a steel surface from a sulphuric solution. If an electrolytic layer of brass or steel is first deposited then the incubation period is shortened to 1-3 months and the growth rate is about 0.3 Å/sec. If the coating is thinner than 0.5 micron no whiskers grow and the optimum thickness is 3 to 10 microns. X-ray photographs showed the whiskers to be of the tetragonal form with  $c$  along the needle axis. Crystals with diameters 1-2 microns were 1-2 mm long. About 80% of the  
Card 1/2

S/070/62/007/005/007/014  
E132/E460

The influence of certain ...

crystals were bent with kinks of 90, 45, 25 and 65°. Fatter crystals were also found twisted into spirals and tangled balls. The maximum rate of growth was found for whiskers growing on a tin covering on a brass substrate on a steel base after thermal treatment at 100 to 150°C for 1 hour. The minimum was for tin on a copper substrate on steel heated for more than 6 hours at 100°C and 2 hours at 150°C. Growth could be completely stopped by ultrasonic vibrations (1 to 3 Mc/s). Cooling to -20 to -40°C for 18 months also stopped growth. Pressure decreased the inductive period to 1-2 days and increased the rate of growth several times. Growth could be observed under 150 kg/cm<sup>2</sup> but not under 500 kg/cm<sup>2</sup>. It is concluded that the main factor in the mechanism of growth is the energy of the internal strains in the electrolytically deposited layers of Sn. There are 3 figures.

SUBMITTED: June 19, 1961

Card 2/2

L 12676-63

ACCESSION NR: AP3000644

8/0080/63/036/003/0543/0550

57

EWP(q)/EWT(m)/BDS AFFIC/ASD JD/WH

55

AUTHOR: Glazunova, V. K.; Kudryavtsev, N. T.

TITLE: Investigation of the conditions of spontaneous growth of crystal fibers in electrolytic coatings 18

SOURCE: Zhurnal prikladnoy khimii, v. 36, no. 3, 1963, 543-550

TOPIC TAGS: crystal growth, electrolytic tin coatings, tin, copper, lead, recrystallization

ABSTRACT: Experiments showed that the growth of crystal fibers in electrolytic tin coatings occurred spontaneously, independently of oxidation in dry or damp atmosphere, and was probably caused by internal stresses in the deposits. The difference in incubation period and crystal growth rate in coatings is explained by the magnitude of internal deformation in the Sn lattices. Significant acceleration of crystal growth of Sn deposited on brass is apparently connected with diffusion of Zn from the brass into the Sn coating. Coatings on Zn and Cu also showed short crystal incubation periods and rapid growth; Ni, Sn, and steel substrates reduced the effect, and on Ag and Fe there was no crystal formation in 4 years. The decrease in the crystal growth rate, proportional to the increase in the deposit thickness, is apparently caused by the decrease in internal stresses. Addition of

Card 1/2

L 12676-63

ACCESSION NR: AP3000644

thiourea to the electrolyte in depositing Cu produced striking crystal growth in Sn coatings. Coatings deposited at 0° were very fine grained and stressed; crystal growth therein was rapid. Sn-Cu and Sn-Ni deposits showed no structural change. In Sn-Pb, the incubation period was retarded, while in Sn-Zn the characteristic crystal growth appeared in 6 months. Reversing the current or increasing the current density up to 1.2 sq dm had no effect; at 2-3 sq dm, the incubation period increased and the growth rate was decreased. Heating had a decelerating effect, proportional to time and temperature of heat, on crystal growth. This also points to the role of internal stresses in the growth mechanism of the crystals. This phenomenon represents a peculiar form of recrystallization in Sn Coatings. Orig. art. has: 4 tables, 1 figure, 3 photographs. 16 21

ASSOCIATION: none

SUBMITTED: 31Oct61

SUB CODE: CH

DATE ACQ: 12Jun63

NO REF BOV: 009

ENCL: 00

OTHER: 005

Card 2/2

GLAZUNOVA, V.K.

Spontaneous growth of elementary tin crystals. Zhur. prikl. khim.  
37 no.11:2387-2392 E '64 (MIRA 18:1)

VASILIOU, GUY. LONDON, U.K.

1. Identification of British subjects in a category.  
2. The British subject, born, was, 8 Nov. 1951-1952.

(MIRA 16:1)

3. The British subject, born, was, 8 Nov. 1951-1952.



GLAZUNOVA, V.V.

What are polymers? Part 1. p. 1-10. 1970. (MIRA 17:3)

GURAL'NIK, M.I., kandidat tekhnicheskikh nauk; MEKHITSKIY, S.Ya.,  
inzhener; LAVROVA, V.V., spets. redaktor; GLAZKOVA, Y.K., redaktor;  
ROSLOV, G.I., tekhnicheskiiy redaktor

[Roller conveyers; a report] Rolikovye dorozhki; informatsionnoe  
soobshchenie. Moskva, Gos. izd-vo trgovoi lit-ry, 1956. 14 p.  
(Conveying machinery) (MLR 9:10)

*Attest. Glazunova*  
KOVBAS, Yuliya Ivanovna; GLAZUNOVA, V.V., red.; BALASHOV, V.I., tekhn.red.

[Measuring instruments in commercial enterprises and control of  
their use] Izmeritel'nye pribory v togovykh predpriyatiakh  
i kontrol' za ikh ispol'zovaniem. Moskva, Gos.izd-vo tovg.lit-ry.  
1956. 44 p. (MIRA 11:1)

(Scales (Weighing instruments))

KURNIN, D.N.; GLAZUNOVA, V.V., redaktor; RADKEVICH, Ye.A., tekhnicheskii  
redaktor

[The packing and wrapping of merchandise in foreign countries]  
Fasovka i upakovka tovarov za rubezhom. Moskva, Gos. izd-vo  
torgovoi lit-ry, 1956. 49 p. (MLRA 9:10)  
(Packing)

SARKISYAN, A.S.; VINOGRADSKIY, B.N.; GLAZUNOVA, V.V., redaktor; ROSLOV, G.I.,  
redaktor; ROSLOV, G.I., tekhnicheskiy redaktor

[The work of innovators in the organization of department stores]  
Ratsionalizatorskaia rabota v univermage. Moskva, Gos. izd-vo  
torgovoi lit-ry, 1956. 85 p. (MLHA 9:8)  
(Department stores)

NECHAY, Z.S.; GLAZUNOVA, V.V., red.; BALASHOV, V.I., tekhn.red.

[Preparation of inspection findings] Oformlenie i realizatsiya  
materialov proverki. Izd. 2-oe, dop. Moskva, Gos. izd-vo tog.  
lit-ry, 1957. 29 p. (MIRA 11:5)  
(Russia--Commerce)

AKSENOV, Petr Filippovich; GLAZUNOVA, V.V., red.; MHDRIKH, D., tekhn.red.

[Restaurants and cafés of Moscow] Restorany i kafe Moskvy.  
Moskva, Gos.izd-vo torg.lit-ry, 1958. 97 p. (MIRA 12:7)  
(Moscow--Restaurants, lunchrooms, etc.)

BOGIN, Lev Minayevich; ZHUKOV, Yuriy Vladimirovich; KUZNETSOV, A.T.,  
red.; TURETSKIY, Sh.Ya., red.; GLAZUNOVA, V.V., red.;  
BABICHEVA, V.V., tekhn.red.

[Retail furniture prices] Roznichnye tseny na mebel'. Pod  
red.A.T.Kuznetsova i Sh.IA. Turetskogo. Moskva, Gos.izd-vo  
torg.lit-ry, 1960. 71 p. (MIRA 13:4)  
(Furniture--Prices)



FIALKOV, M.A.; GLAZUNOVA, V.V., red.; MAMONTOVA, N.N., tekhn.rad.

[Agencies of state trade administration in the U.S.S.R. and  
their improvement] Organy gosudarstvennogo upravleniia  
torgovlei v SSSR i ikh sovershenstvovanie. Moskva, Gos.izd-vo  
torg.lit-ry, 1960. 139 p. (MIRA 14:1)  
(Russia--Commerce)

VOLOKITIN, A.S.; DAVYDOVA, G.A.; GLAZUNOVA, V.V., red.; KIRAKOZOVA, N.Sh.,  
red.; BABICHEVA, V.V., tekhn.red.

[Material and technical base and reproduction of fixed assets in  
Soviet trade; work, personnel, and wages in Soviet trade] Material'no-  
tekhnicheskaya baza i vosproizvodstvo osnovnykh fondov sovetskoi  
torgovli; trud, kadry, zarabotnaya plata v sovetskoi torgovle.  
Leksii. Moskva, Gos.izd-vo torg.lit-ry, 1960. 68 p.

(MIRA 14:3)

(Russia--Commerce)

VASIL'YEV, Aleksandr Afinogenovich; KIRAKOZOVA, N.Sh., red.; GLAZUNOVA,  
V.V., red.; BABICHEVA, V.V., tekhn.red.

[Collective-farm trade. State procurement of farm produce and  
raw materials] Kolkhosnaya trgovlia. Zagotovki sel'skokho-  
ziaistvennykh produktov i syr'ia. Moskva, Gos.izd-vo targ.  
lit-ry, 1960. 77 p. (MIRA 14:3)  
(Produce trade)

RAYSKIY, Igor' Dmitriyevich; GLAZUNOVA, V.V., red.; KIRAKOZOVA, N.Ch., red.; EL'KINA, E.M., tekhn. red.

[Electric elements of automatic vending machines] Elektricheskie elementy torgovykh avtomatov. Moskva, Gostorgizdat, 1961. 159 p.  
(MIRA 15:6)

(Vending machines)

СОЛОНОВИЧ, А.И., ЗЕНЦОВ, М.И.; ДАНЬКО, В.И., ДАНИЛОВ, В.И.,  
ОСИН, В.И.

Our experience in microwave therapy. "Известия АН СССР,  
Физ. хим. квант. 50, 1954, 45-46 стр. (1954) 1954, 45, 46

1. Pulso-efekt terapii mikrovolnovymi izlucheniymi. "Известия АН СССР,  
Физ. хим. квант. 50, 1954, 45-46 стр. (1954) 1954, 45, 46

PROKOF'YEV, A.A.; KUDRYASHEVA, O.I.; GLAZUNOVA, Ye.M.

Biological importance of the contractile activity of roots.  
Fiziol.rast. 1 no.2:109-121 N-D '54. (MIRA 8:10)

1. Institut fiziologii rasteniy imeni K.A.Timiryazeva, Moscow.  
Botanicheskiy institut Akademii nauk Tadzhikskoy SSR i Tad-  
zhikskiy gos.universitet, Stalinabad.  
(Roots (Botany)) (Dandelions)

NIKITIN, V.I.; GLAZUNOVA, Ye.M.

Tertiary triatomic alcohols of the acetylenic group and their conversions. Part 21: Dehydration of 2,3,6-trimethyl-4-octyne-2,3,6-triol and 3,4,7-trimethyl-5-nonyne-3,4,7-triol. Zhur. ob. khim. 30 no.12:3907-3915 D '60. (MIRA 13:12)

1. Institut khimii Akademii nauk Tadzhikskoy SSR.  
(Octynetriol) (Nonynetriol)

S/079/61/031/001/007/025  
B001/B066

AUTHORS: Nikitin, V. I. and Glazunova, Ye. M.

TITLE: Tertiary Trivalent Alcohols of the Acetylene Series, and Their Conversions. XXII. Dehydration of 2-Methyl-5-(1-hydroxy-cyclopentyl)-hexene-3-diol-2,5 (I), and 2,4-di-(1-hydroxy-cyclopentyl)-butin-3-ol-2 (VI)

PERIODICAL: Zhurnal obshchey khimii, 1961, Vol. 31, No. 1, pp. 89 - 95

TEXT: Following Refs. 1 and 2, the authors now subjected these two acetylenetriols (I and VI), (with one or two cyclopentyl radicals), to dehydration. The new compounds, (I and VI), were synthesized by one of the authors in co-operation with S. D. Savranskaya (Ref. 5). Compound (I) was allowed to react with p-toluenesulfonic acid and potassium bisulfate. The glycol 2-methyl-5-(1-hydroxy-cyclopentyl)-hexen-1-ol-3-ol-5 (II) in both cases resulted as principal and only dehydration product in a yield of between 53 and 59 %. On exhaustive hydrogenation of this glycol in acetic acid the saturated glycol 2-methyl-5-(1-hydroxy-cyclopentyl)-hexanol-5 (III) was obtained. The structure of glycol (II) could be con-

Card 1/3



Tertiary Trivalent Alcohols of the Acetylene Series, and Their Conversions. XXII. Dehydration of 2-Methyl-5-(1-hydroxy-cyclopentyl)-hexene-3-diol-2,5 (I), and 2,4-di-(1-hydroxy-cyclopentyl)-butin-3-ol-2 (VI)

S/079/61/031/001/007/025  
B001/E066

firmed only by a counter-synthesis from isopropenyl acetylene and 1-acetylcyclopentanol with subsequent hydrogenation. This product gave no melting point depression with glycol (III) (melting point of (III) 83.5 - 84.5°C). Glycol (III) is converted in two directions by dehydration with 25 % sulfuric acid: a) under formation of 2-methyl-5-(1-methyl-cyclopentyl)-pentanone-5 (IV), and b) under formation of 2-methyl-5-cyclopentenyl-1-hexene-4 (V). A pinacolone rearrangement also takes place on dehydration of glycol (III) with potassium bisulfate, giving compound (IV). 2,4-di-(1-hydroxy-cyclopentyl)-butin-3-ol-2 (VI) is also dehydrated with p-toluenesulfonic acid and potassium bisulfate to 2-(1-hydroxy-cyclopentyl)-4-cyclopentenyl-buten-3-ol-2 (VII) (28 %) which may be hydrogenated selectively with one mole of hydrogen to the diene  $\alpha$ -glycol 2-(1-hydroxy-cyclopentyl)-4-cyclopentenyl-buten-3-ol-2 (VIII). The hydrogenation of glycol (VII) over palladium on chalk apparently yields 2-(1-hydroxy-cyclopentyl)-4-cyclopentenyl-butanol-2 (IX). On exhaustive hydrogenation of glycol (VII) in methanol the glycol 2-(1-hydroxy-cyclo-

Card 2/3

Tertiary Trivalent Alcohols of the Acetylene Series, and Their Conversions. XXII. Dehydration of 2-Methyl-5-(1-hydroxy-cyclopentyl)-hexine-3-diol-2,5 (I), and 2,4-di-(1-hydroxy-cyclopentyl)-butin-3-ol-2 (VI)

S/079/61/031/001/007/025  
B001/B066

pentyl)-4-cyclopentyl-butanol-2 (X) results. There are 6 references: 4 Soviet, 1 US, and 1 British.

ASSOCIATION: Institut khimii Akademii nauk Tadzhikskoy SSR (Institute of Chemistry of the Academy of Sciences Tadzhikskaya SSR)

SUBMITTED: January 23, 1961

Card 3/3

40070

9/138/62/000/008/001/007  
A051/A126

15.9201  
AUTHORS: Nikitin, V. I., Olazunova, Ye. M., Nagibina, T. D., Yassenkova, L. S.,  
Alikberova, G. I., Grigina, I. N.

TITLE: Copolymers based on butadiene and glycols of the isopropenylacetylene  
row

PERIODICAL: Kauchuk i rezina, no. 8, 1962, 1 - 3

TEXT: The properties of copolymers containing a large number of hydroxyl  
groups were studied by investigating a copolymerization reaction between butadiene  
and glycols of the isopropenylacetylene row. The glycols used and produced by  
dehydration of the corresponding glycerines or by condensation of oxyketones with  
isopropenylacetylene, in the presence of potassium hydroxide, were: 2,3,6-tri-  
methylneptene-6-in-4-diol-2,3 [glycol Г (G)], and 2-methyl-5(1-oxycyclopentyl)-  
-hexene-1-in-3-ol-5 [glycol ИГ (TsG)]. Experimental data showed the copolymer of  
butadiene and glycol G [ДГ-10 (DG-10)], to be non-soluble in ordinary organic  
solvents, and the copolymer of butadiene and glycol TsG [ДИГ-10 (DTsG-10)], to  
be soluble in ether and benzene. The molecular weight of DTsG-10 (determined by

Card 1/2

S/138/62/000/008/001/007  
A051/A126

Copolymers based on butadiene and...

the light diffusion method), is equal to 206,000. The Carrer hardness of DG-10 and DTSG-10, prior to mastication, is equal to 0.1 - 0.2. Further data revealed that DG-10 vulcanizates are superior to CKC-30 A (SKS-30A), and equal to CKH-26 (SKN-26) as to tensile strength, elasticity, thermal resistance, destruction resistance in repeated deformations. They are far superior to SKS-30A and SKN-26 and DK-10 (DK-10) in fatigue strength during repeated compression. DTSG-10 vulcanizates are equal to rubbers of the serial SKS-30A rubber base in their main physical and mechanical properties, excepting crack growth resistance in repeated flexures. The former are superior to SKS-30A, SKN-26 and DK-10 X (DK-10Kh) in their resistance to repeated deformations of flexure. There is 1 table.

ASSOCIATION: Institut khimii Akademii nauk Tadzhikskoy SSR i Institut organicheskoy khimii Akademii Nauk SSSR (Institute of Chemistry of the Tadzhik SSR Academy of Sciences and Institute of Organic Chemistry of the USSR Academy of Sciences)

2/2

GLAZUNOVA, Ye. M.

Dissertation presented for the degree of candidate of chemical sciences  
at the Institute of Organic Chemistry Acad. N. S. Kurnakov in 1963:

"Dehydration of Tertiary Glycolins of 1, 2-acetylene series at the  
Copolymerization of Dehydration Products with Divinyl."

Vest. Akad. Nauk SSSR. No. 4, Moscow, 1963, pages 116-118.

NIKOL'SKI, V.I.; HADZONOVA, I.G.; GABRIEL, I.M.; ZERENIN, A.B.

~~1. Synthesis of 1,2-dihydro-1,2-dimethyl-1,2-dioxane~~

1,2-dihydro-1,2-dimethyl-1,2-dioxane is a new compound which  
and their transformations. Part III: Synthesis and properties of  
of 1,2-dihydro-1,2-dimethyl-1,2-dioxane and 1,2-dihydro-1,2-dimethyl-  
1,2-dioxane, etc. p. 111. 11. 1-2. 1965

(1965, 1965)

1. Synthesis of 1,2-dihydro-1,2-dimethyl-1,2-dioxane, etc. p. 111, 1965.

L 22441-66 EWT(m)/EWP(j)/T IJP(c) RM  
ACC NR: AP6006362 (A) SOURCE CODE: UR/0413/66/000/002/0095/0095

AUTHOR: Nikitin, V. I.; Glazunova, Ye. M.; Hornitskaya, E. A.;  
Nagibina, T. D.; Yagukova, L. S.

ORG: none

TITLE: Preparation of synthetic rubber. Class 39, No. 178107

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2,  
1966, 95

TOPIC TAGS: synthetic rubber, copolymerization, butadiene

ABSTRACT: This Author Certificate concerns a method for preparing  
synthetic rubber by water-emulsion copolymerization of butadiene with  
vinylethynyl compounds at reduced temperatures in the presence of  
peroxide initiators. In order to increase the number of types of  
synthetic rubbers, 3,4,7-trimethylocten-7-yne-5-diol is proposed for  
use as a vinylethynyl compound. [LD]

SUB CODE: 11/ SUBM DATE: 15Jun64

Card 1/1 UDC: 678.762.2-136.93

GRISHIN, V.K.; GLAZIEROVA, G.I.

Brief news. Med. paraz. i paraz. bol. 34, no. 6:750-751

M.D. '65.

(MEDA 18:12)



177

PROCESSES AND PROPERTIES IN IT

Analysis of Zinc Alloys. A. Milovidova and Z. Garmova (*Zhur. Lab.*, 1934, 3, 369; *Brit. Chem. Abs.*, 1934, [B], 677). [In Russian] 1 gm. of alloy is treated with hot dilute  $H_2SO_4$ , when Pb and Cu remain undissolved; these are dissolved in 50%  $HNO_3$ , and determined electrolytically. Al and Fe are precipitated from the  $H_2SO_4$  solution by adding excess of aqueous  $NH_3$  and  $NH_4Cl$ , and Zn is determined electrolytically in the filtrate. The residual solution is evaporated to a small volume, when a further precipitate of  $Al(OH)_3$  forms, which is added to that obtained previously. Mg is determined by the usual methods in the filtrate. - S. G.


AS 8-51-8 METALLURGICAL LITERATURE CLASSIFICATION

CLASS	NO.	DATE	REMARKS
1	1	1934	
2	2	1934	
3	3	1934	
4	4	1934	
5	5	1934	
6	6	1934	
7	7	1934	
8	8	1934	
9	9	1934	
10	10	1934	
11	11	1934	
12	12	1934	
13	13	1934	
14	14	1934	
15	15	1934	
16	16	1934	
17	17	1934	
18	18	1934	
19	19	1934	
20	20	1934	
21	21	1934	
22	22	1934	
23	23	1934	
24	24	1934	
25	25	1934	
26	26	1934	
27	27	1934	
28	28	1934	
29	29	1934	
30	30	1934	
31	31	1934	
32	32	1934	
33	33	1934	
34	34	1934	
35	35	1934	
36	36	1934	
37	37	1934	
38	38	1934	
39	39	1934	
40	40	1934	
41	41	1934	
42	42	1934	
43	43	1934	
44	44	1934	
45	45	1934	
46	46	1934	
47	47	1934	
48	48	1934	
49	49	1934	
50	50	1934	
51	51	1934	
52	52	1934	
53	53	1934	
54	54	1934	
55	55	1934	
56	56	1934	
57	57	1934	
58	58	1934	
59	59	1934	
60	60	1934	
61	61	1934	
62	62	1934	
63	63	1934	
64	64	1934	
65	65	1934	
66	66	1934	
67	67	1934	
68	68	1934	
69	69	1934	
70	70	1934	
71	71	1934	
72	72	1934	
73	73	1934	
74	74	1934	
75	75	1934	
76	76	1934	
77	77	1934	
78	78	1934	
79	79	1934	
80	80	1934	
81	81	1934	
82	82	1934	
83	83	1934	
84	84	1934	
85	85	1934	
86	86	1934	
87	87	1934	
88	88	1934	
89	89	1934	
90	90	1934	
91	91	1934	
92	92	1934	
93	93	1934	
94	94	1934	
95	95	1934	
96	96	1934	
97	97	1934	
98	98	1934	
99	99	1934	
100	100	1934	

1

*Determination of carbon dioxide in cyanides. A. Blinovskaya and Z. Glazunova. Zashchita Lab. 1, 400 (1944). Ppt. CO<sub>2</sub> in the cyanide soln. with H<sub>2</sub>SO<sub>4</sub>, of known concn., dil. to a definite vol. with H<sub>2</sub>O free from CO<sub>2</sub>, filter an aliquot part of the soln. through a desiccator, det. Ba with H<sub>2</sub>SO<sub>4</sub>, and calc. CO<sub>2</sub>. C. H.*

ASD S.L.A. METALLURGICAL LITERATURE CLASSIFICATION



Glazunova, Z. I.

✓ Composition of some difficultly soluble nitrocobaltates and microdetermination of potassium. J. M. Korenman, E. R. Sheyanova, and Z. I. Glazunova. *Primenenie Moshnykh Atomov Anal. Khim.* and *Tr. Vses. S.S.R. Inst. Geokhim. i Anal. Khim.*, 1955, 29-30. The compn. of K, Cs, Rb, and Tl cobaltinitrites, as affected by the concn. of these cations, time of contact, and acidity, was studied by using  $\text{Co}^{2+}$ . The cobaltinitrite was used as Na, Ag, or Pb complex. As the concn. of K, Cs, and Rb in soln. decreased, their relative content in the ppt. also decreased. Only the compn. of  $\text{K}_2\text{AgCo}(\text{NO}_2)_4$  remained fairly const. The compn. of  $\text{Tl}_2\text{Co}(\text{NO}_2)_4$  ppt. remained const. Ppts. of K, Cs, and Rb remained unchanged regardless of the duration of their contact with the mother liquor. The Tl ppt. changed with time. As the concn. of  $\text{AcOH}$  in soln. increased the compn. of K, Pb cobaltinitrite approached  $\text{K}_2\text{PbCo}(\text{NO}_2)_4$ . Micromethods for detg. 0.5-0.1 mg. K as  $\text{K}_2\text{NaCo}(\text{NO}_2)_4$  and 0.1-0.01 mg. K as  $\text{K}_2\text{AgCo}(\text{NO}_2)_4$  are outlined.

M. Hough

SHEVANOVA, F.B.; TUMANOV, A.A.; GUSZUNOVA, Z.I.; DEMIN, O.I.; FILIPKOVA, N.S.;  
DUBROVSKAYA, T.F.; BOYKO, B.I.

Brief reports. Zav. lab. 23 no.5: 544-57. (MLRA 10:8)  
(Radioisotopes--Industrial applications)  
(Chemistry, Analytical)

AUTHOR: Korenman, I. M., Glazunova, Z. I. SOV. 75-14-1022

TITLE: Co-Precipitation of Zinc With Complex Compounds Containing  
pyridine (K voprosu o soobrazhenii tsinka  
piridinsoderzhashchimi kompleksnymi soyedineniyami)

ABSTRACT: Zhurnal analiticheskoy khimii, 1978, Vol. 25, No. 1, pp. 6-10  
(USSR)

ABSTRACT: In a previous paper the authors had discovered that zinc can  
be co-precipitated from precipitates of the form  $[MePy_2]X$ ,  
( $Me...Cu^{2+}, Cd^{2+}, Ni^{2+}; X...SCN^-, Br^-$ ) (Ref. 1). In this an  
interrelationship was observed between the quantities of the  
macro- and micro-components in the solution before precipita-  
tion and the quantity of the co-precipitated micro-component  
in the precipitate. This interrelationship and a number of  
other problems were examined more closely in the paper under  
review. An analysis of the co-precipitation of zinc with  
 $[CuPy_2](SCN)_2$  at a temperature of 15-17° showed that the ratio  
of the quantities of  $Cu^{2+} : Zn^{2+}$  in the precipitate only  
amounted to one sixth to one eighth of the corresponding ratio  
in the solution before precipitation. This relation remained

Card 1/4

100/75-13-11-1

Co-Precipitation of Zinc With Complex Compounds Containing Pyridine

rather constant in tests with varying contents of  $\text{Cu}^{2+}$  and  $\text{Zn}^{2+}$ . If the copper content in the initial solution is increased, also the content of zinc in the precipitate will increase, while it will decrease if the concentration of zinc in the initial solution is smaller. In both cases, however, the amount of co-precipitated zinc will decrease in comparison with the entire precipitate. This decrease depends on the ratio of  $\text{Cu}^{2+} : \text{Zn}^{2+}$  in the solution before precipitation. In a logarithmic diagram the relationship between the zinc content in the precipitate and the ratio of  $\text{Cu}^{2+} : \text{Zn}^{2+}$  in the initial solution is a straight line. This fact makes it possible to predict the extent of co-precipitation of zinc in the precipitation of  $[\text{CuPy}_2](\text{SCN})_2$  if the content of the components in the initial solution is known. Very analogous conditions were discovered in the co-precipitation of zinc with  $[\text{CdPy}_2](\text{SCN})_2$  and  $[\text{NiPy}_2](\text{SCN})_2$ . Co-precipitation of zinc with  $[\text{CuPy}_2]\text{Br}$  takes place to a small extent only; here the relationship be-

Card 2/4

COV/75-13-5-4124

Co-Precipitation of Zinc With Complex Compounds Containing Pyridine

tween the components in the initial solution and in the precipitate is no longer constant since the accuracy in the determination of the co-precipitated zinc is low. As to quality, however, the same interrelationship as in the co-precipitation of zinc with the above-mentioned complex thiocyanates could be established. As zinc is co-precipitated both by  $[\text{CuPy}_2](\text{SCN})_2$  and by  $[\text{CdPy}_2]\text{Br}_2$  only to a small extent, this method can be used for the separation of zinc from copper and cadmium. The results of these separations were satisfactory in micro-determination. Copper and zinc may even be better separated by precipitation of copper as  $[\text{CuPy}_2](\text{SCN})_2$  at higher temperatures. By this way, 200  $\mu$  of zinc can still be well separated from 1 000  $\mu$  of copper. The quantitative micro-determination of copper by precipitation by means of the above mentioned compounds (Ref 3) furnishes good results also with small amounts of zinc being present. It was discovered that for the quantitative determination of very small quantities of copper the titration of precipitated  $[\text{CuPy}_2](\text{SCN})_2$  with a solution of

Card 3/4



SOV 75-13-5-4/24

Co-Precipitation of Zinc With Complex Compounds Containing Pyridine

silver nitrate can be used. This method is considerably simpler and faster than the gravimetric determination. There is a detailed description in this paper of all experiments, as well as of the results achieved. There are 2 figures, 7 tables, and 3 references, 2 of which are Soviet.

ASSOCIATION: Gor'kovskiy gosudarstvennyy universitet im. N. I. Lobachevskogo (Gor'kiy State University imeni N. I. Lobachevskiy)

SUBMITTED: January 22, 1957

Card 4/4

GLAZUNOVA, Z. I.

The Second All-Union Conference on the Preparation and Analysis of High-Purity Elements, held on 24-28 December 1963 at Gorky State University im. N. I. Lobachevskiy, was sponsored by the Institute of Chemistry of the Gorky State University, the Physicochemical and Technological Department for Inorganic Materials of the Academy of Sciences USSR, and the Gorky Section of the All-Union Chemical Society im. D. I. Mendeleyev. The opening address was made by Academician N. M. Zhavoronkov. Some 90 papers were presented, among them the following:

A. A. Tumanov, N. M. Shakhverdi, and Z. I. Glazunova. Spectrophotometric determination of microquantities of Se.

*Zhurnal Khim, 19 no 6, 1964 p. 771-77)*



GLAZUNOVA, Z.I.

Experimental study of superinfection in leishmaniasis of  
guinea pigs, Med. paraz. i paraz bol. 33 no.6:643-650  
N-D '64. (MIRA 18:6)

1. Otdel protozoologii Instituta meditsinskoy parazitologii i  
tropicheskoy meditsiny imeni Martainevskogo Ministerstva  
zdravookhraneniya SSSR, Moskva.

GLAZUNOVA, Z.I.

Allergic reactions in guinea pigs following repeated inoculation with *Leishman* in a rabbit. *Med. zhurn. Vostochn. Ind.* 34  
n. 5:583-585 S-0 1955 (MMA 1:1)

1. Glazunovskiy protomobiliti Eritritu meditsinskoy  
pamiatnik 11 i troicheskoy meditsiny (MMA 1:1) ovskoye  
M. Interstva zdravoochrezheniya SSSR, Moscow.





SYCH, Marek; PIECH, Andrzej; GLAZUR, Janina, MORÓZ, Janusz;  
SZLEZYNGER, Jozef, WECLAWOWICZ, Janusz; STEFANEC, Stanisław;  
LADZINSKI, Kazimierz

Clinical and experimental studies on the use of Fluothane in  
general anesthesia, Pol. przegl. chir. 35 no.10'11:1044-1048  
1963.

I. Z I Kliniki Chirurgicznej AM w Krakowie Kierownik: prof.  
dr J. Bogusz z Oddziału Chirurgicznego Szpitala Wojskowego  
w Krakowie Orygator: p.k. dr A. Sielas z Pracowni Anatomiczno-  
patologicznej Szpitala Wojskowego w Krakowie Kierownik: mjr  
doc. dr S. Stefanko z Kliniki Neurochirurgicznej AM w Krakowie  
Kierownik: prof. dr A. Kunicki.

(ELECTROENCEPHALOGRAPHY)

(LEUKOCYTE COUNT)

(ELECTROCARDIOGRAPHY)

(EPINEPHRINE) (PULSATOLOGY)

(BLOOD PRESSURES)



GLADUNINA, A.E.

Experimental study of the frost resistance of some exotic trees  
in the southern Crimea. Izv. Glav. bot. sadu no. 4:17-19 '64.

(MIRA 17:11)

1. Gos. khrestovennyy Nikol'skiy botanicheskiy sad, Yalta.

"APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000500020013-0

\*\*\*\*\*

SECRET

CONFIDENTIAL

APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000500020013-0"

GLAZ'YEV, I.

Active workers spread their wings. Za rul. 21 no.1:8 Ja '63.  
(MIRA 16:1)

1. Predsedatel' Federatsii avtomotosporta UkrSSR, Kiyev.  
(Ukraine--Automobile racing) (Ukraine--Motorcycle racing)

GLAZ'YEV, N. I., Izv.

Theoretical and experimental investigations of the pneumatic  
seeding apparatus of a planter. Trakt. i sel'khoz mash 73  
no. 11 22-25 Nov. (1974 12 9)

1. /sopovoznyy orbeni frudovogo traktora /sopovoznyy  
issledovatel'skiy institut mash. fiziki i ofirovatskoykh  
kni'zhi.

W. W. W.

[The following is a list of the names of the persons who have been identified as having been in contact with the subject of this report, and who have been identified as having been in contact with the subject of this report, and who have been identified as having been in contact with the subject of this report.]

ALABANOV B A., [illegible]  
[illegible], [illegible]

[illegible] (President of the [illegible] Republic of  
Kazakhstan) [illegible] [illegible] [illegible]  
France, [illegible] [illegible] [illegible]

1. Director [illegible] [illegible] [illegible]  
[illegible] [illegible] [illegible] [illegible]

GLAZ'YEV, Vitaliy Aleksandrovich; TKACHENKO, A., red.

[Svetlichnyi's followers in Chatkai'; overall mechanization of sugar beet growing to the new technology] Chatkul'skie svetlichnye; kompleksnaia mekhanizatsiia vozdeleyvaniia sakharnoi svekly po novoi tekhnologii. Frunze, Izd-vo "Kyrgyzstan," 1964. 55 p. (MIA 18:3)

1. The following information is being furnished to you for your information:

Since 1971, the following information has been furnished to you for your information: 1. The following information has been furnished to you for your information:

2. Monthly List of Foreign Assets, 1971-1972.



1. GLAZOVIN, A. I.
2. USSR /00
- h. Physics - Study and Teaching
7. Kinematic model of a steam engine, Fiz. v shkole, No. 1, 1913.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Encl.

GLAZYRIN, A.I. (Moscow).

Experiments in electromagnetism (VIIth class). Fiz. v shkole 13 no.3:40-  
46 My-Je '53. (MLRA 6:6)  
(Electromagnetism)

GLAZYRIN, A.I.

LOSHAKOV, N.I. (Moscow); SHAKHMAEV, N.M.

A useful book: "Home-made physical instruments," A.I.Glazyrin.

Reviewed by N.M.Shakhmaev, N.I.Loshakov. Fiz. v shkole 14 no.4:

80-82 J1-Ag '54.

(MLRA 7:7)

(Physical instruments) (Glazyrin, A.I.)

POKROVSKIY, Aleksandr Andreyevich; GLAZYRIN, Aleksandr Ivanovich; DUBOV,  
Aleksandr Grigor'yevich; ZVORYKIN, Boris Sergeyevich; SHURKHIN,  
Seren Abramovich; MIKHALKEVICH, T.V., redaktor; TSYPPPO, R.V., tekhnichaskiy redaktor

[Demonstrative experiments in physics for classes 6 and 7 of the secondary schools; teacher's manual] Demonstratsionnye opyty po fizike v VI-VII klassakh srednei shkoly; posobie dlia uchitelia. Pod red. A.A.Pokrovskogo. Izd. 2-os. Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva prosveshchenia RSFSR, 1956. 270 p. (MLRA 9:12)  
(Physics--Experiments)

POKROVSKIY, Aleksandr Andreyevich; GLAZYRIN, Aleksandr Ivanovich; DUBOV, Aleksandr Grigor'yevich; ZAVORYKIN, Boris Sergeyevich; SHURKHIN, Semen Abramovich; MIKHALKEVICH, T.V., redaktor; DZHATIYEV, S.G., tekhnicheskiiy redaktor

[Practical work in physics for senior classes of secondary schools; a manual for teachers] Praktikum po fizike v starsnikh klassakh srednei shkoly; posobie dlia uchitelia. Pod red. A.A.Pokrovskogo. Izd. 3-e, ispr. Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva prosveshchenia RSFSR, 1956. 288 p. (MLRA 9:10)  
(Physics—Problems, exercises, etc.)

GLAZYRIN, A.I. (Moskva)

Models for machine-shop practice. Fiz. v shkole 16 no.2:  
47-56 Mr-Ap '56. (MIRA 9:6)  
(Machine-shop practice) (Machinery--Models)

BELOGORSKAYA, N.I.; GALININ, D.D.; GORYACHKIN, Ye.N.; GLAZYRIN, A.I.; DUBOV, A.G.;  
YEVROPIN, Yu.P.; YEMOKHOVICH, A.S.; ZVORYKIN, B.S.; IVANOV, S.I.; KRAUKLIS,  
V.V.; LAVROVSKIY, K.F.; MENSUTIN, N.F.; MINGHENKOV, Ye.Ya.; NABOKOV, M.Ye.;  
PERYSKIN, A.V.; POPOV, P.I.; POKROVSKIY, A.A.; REZNIKOV, L.I.; SAKHAROV,  
D.I.; SOKOLOV, I.I.; SOKOLOVA, Ye.N.; EVENCHIK, E.Ye.; YUS'KOVICH, V.P.

Sergei Nikolaevich Zharkov. [Obituary]. Fiz.v shkole 16 no.3:94-95 My-Je '56.  
(Zharkov, Sergei Nikolaevich, 1883-1956) (MIRA 9:7)

GLAZERIS, Aleksandr Ivanovich; KOZYR', Ivan Vasil'yevich; PARMENOV,  
Konstantin Yakovlevich; PIALKINA, G.A., redaktor; ~~Sokolova, A.Ya.~~,  
tekhnicheskii redaktor; LAUT, V.G., tekhnicheskii redaktor

[Study room for natural sciences (physics, chemistry, and biology)  
in a seven-year school] Kabinet estestvoznaniia (fiziki, khimii,  
biologii) v semiletnei shkole. Pod obshchei red. A.IA. Parmenova.  
Izd. 2-oe, perer. Moskva, Izd-vo Akad.pedagog.mnuk RSFSR, 1957.  
312 p. (1957-1958)

(Natural history--Study and teaching)



POKROVSKIY, Aleksandr Andreyevich. Prinimali uchastiye: GLAZYRIN, A.I., nauchnyy sotrudnik; DUBOV, A.G., nauchnyy sotrudnik; ZVORYKIN, B.S., nauchnyy sotrudnik; SHURKHIN, S.A., nauchnyy sotrudnik; KUZ'MIN, A.P., glavnyy konstruktor; MIKHAIKEVICH, T.V., red.; TSYPO, R.V., tekhn.red.

[Equipment of a physical laboratory; teacher's manual]  
Oborudovanie fizicheskogo kabineta; posobie dlia uchitelia.  
Moskva, Gos.uchebno-pedagog.izd-vo M-va prosv. RSFSR, 1958.  
422 p. (MIRA 12:7)

1. Upravleniye uchebno-tekhnicheskoy promyshlennosti.  
(Physical laboratories--Equipment and supplies)

POKROVSKIY, A.A., kand.pedagog.nauk, starshiy nauchnyy sotrudnik;  
 BUROV, V.A., uchitel'; GLAZYRIN, A.I., starshiy nauchnyy sotrudnik,  
 pensioner; DUBOV, A.G., starshiy nauchnyy sotrudnik; ZVORYKIN, B.S.,  
 nauchnyy sotrudnik; KAMENETSKIY, S.Ye., uchitel'; KOSTIN, G.N., pre-  
 podavatel'; MIRGORODSKIY, B.Yu., uchitel'; OREKHOV, V.P., prepoda-  
 vatel'; ORLOV, P.P., prepodavatel'; RAZUMOVSKIY, V.G., aspirant;  
 RUMYANTSEV, I.M., aspirant; TEREENT'YEV, M.M., prepodavatel';  
 KHOLYAPIN, V.G., prepodavatel'; SHAKHMAYEV, N.M., nauchnyy sotrudnik,  
 uchitel'; VOYTEKO, I.A., uchitel' sredney shkoly, pensioner; STA-  
 ROSTIN, I.I., prepodavatel'; MOGILKO, A.D., aspirant; SEMAKIN, N.K.;  
 KOPEKOVA, L.A., red.; LAUT, V.G., tekhn.red.

[New school equipment for use in physics and astronomy] Novye  
 shkol'nye pribory po fizike i astronomii. Pod red. A.A.Pokrovskogo.  
 Moskva, Izd-vo Akad.pedagog.nauk RSFSR, 1959. 161 p. (MIRA 12:11)

1. Akademiya pedagogicheskikh nauk RSFSR, Moscow. Institut metodov  
 obucheniya. 2. Laboratoriya metodiki fiziki Instituta metodov obuche-  
 niya Akademii pedagogicheskikh nauk RSFSR (for Pokrovskiy). 3. Sred-  
 nyaya zheleznodorozhnaya shkola st.Kratovo, Moskovskoy oblasti (for  
 Burov). 4. Institut metodov obucheniya Akademii pedagogicheskikh nauk  
 (for Glazyrin, Dubov, Razumovskiy, Rumyantsev).

(Continued on next card)

POKROVSKIY, A.A.---(continued) Card 2.

5. Institut metodov obucheniya Akademii pedagog.nauk; srednyaya shkola No.315 Moskv (for Zvorykin). 6. Srednyaya shkola No.212 Moskv (for Kamenetskiy). 7. Krasnodarskiy pedinstitut (for Kestin). 8. Srednyaya shkola No.18 g.Sumy (for Mirkorodskiy); 9. Ryazanskiy pedinstitut (for Orekhov). 10. Stalingradskiy pedinstitut (for Orlov). 11. Moskovskiy gorodskoy pedinstitut; srednyaya shkola No.124 Moskv (for Terent'yev). 12. Balashovskiyy pedinstitut (for Kholyapin). 13. Institut metodov obucheniya Akademii pedagog.nauk; srednyaya shkola No.315 Moskv (for Shakhmayev). 14. Moskovskiy pedinstitut im. V.I.Lenina (for Starostin). 15. Pedinstitut im. V.I.Lenina v Moskve (for Mogilko). 16. Zavodnyushchiy narodnoy astronomicheskoy observatoriyey Dvortsa kul'tury Moskovskogo avtozavoda im. Likhacheva (for Semakin).

(Physical instruments)

GLAZYRIN, Aleksandr Ivanovich; SVITKOV, L.P., red.; SMIRNOVA, M.I..  
tekhn.red.

[Homemade apparatus for demonstrations and experiments in  
physics; textbook for teachers] Samodel'nye demonstratsionnye  
pribory po fizike i opyty s nimi; posobie dlia uchitelei.  
Izd.2., perer., dop. Moskva, Gos.uchebno-pedagog.izd-vo M-vu  
prosv.RSFSR, 1960. 487 p. (MIRA 14:2)  
(Physics--Laboratory manuals)

POKROVSKIY, Aleksandr Andreyevich; BUROV, Vladimir Alekseyevich;  
GLAZIKIN, Aleksandr Ivanovich; DUBOV, Aleksandr  
Grigor'yevich; ZVORYKIN, Boris Sergeyevich; RUMYANTSEV,  
Ivan Mikhaylovich; MASLOV, L.S., red.; KREYS, I.G.,  
tekhn. red.

[Laboratory manual on physics in secondary schools; a  
teacher's manual] Praktikum po fizike v srednei shkole;  
posobie dlia uchitelia. [By] A.A.Pokrovskii i dr. Izd.4.  
perer. Moskva, Uchpedgiz, 1963. 223 p. (MIRA 17:3)

ASHIKHMIN, D.A., inzh.; VERETENNIKOV, V.F., inzh.; GLAZYRIN, I.A., inzh.;  
D'YAKOV, A.G., inzh.; MINGALEV, Yu.A., inzh.

Scraper conveyor with a bottom carrying arm for hauling hard,  
large-size ore. Gor.zhur. no.10:54-55 O '64.

(MIRA 18:1)

1. Nauchno-issledovatel'skiy i proyektno-konstruktorskiy institut  
gornogo i obogatitel'nogo mashinostroyeniya, Sverdlovsk.

GLAZYPIN, M.P.; FOCIYEV, A.A.

Optical properties of sodium vanadate crystals. Kristallografika  
9 no.2:287-299 Mr-Ap'64. (MIRA 17:6)

1. Institut khimii Ural'skogo filiala AN SSSR.

GLAZERIN, M.P.; FOLITEV, A.A.

Optical study of compounds formed in the system  $K_2O-V_2O_5$ .  
Kristallografiia 9 no.4:506-510 31-Aug '64. (MIRA 17:11)

1. Ural'skiy filial AN SSSR, Institut khimii.



GLAZYRIN, M.P.; IVAKIN, A.A.

Crystallographic and optical characteristics of vanadates of  
some rare earth elements. Kristallografiya 9 no.6:927-928  
N-D 164. (MIRA 18:2)

1. Institut khimii Ural'skogo filiala AN SSSR.

GLAZYRIN, M.P.; PETIYEV, A.A.

Optical study of sodium titanates. Kristallografiya 10 no.2:  
256-257 Mr-Apr '65. (MIRA 18:7)

1. Institut khimii Ural'skogo filiala AN SSSR.

L 4270-66 EWT(1)/EWT(m)/T/EWP(t)/EWP(b) LJP(c) JL/JQ/GG  
 ACCESSION NR: AP5024568 UR/0070/65/010/005/0761/0764  
 548.0:535.32

AUTHOR: Glazyrin, M. P. 14, 53

TITLE: Some optical properties of alkali metal vanadates 27

SOURCE: Kristallografiya, v. 10, no. 5, 1965, 761-764

TOPIC TAGS: vanadate, lithium compound, sodium compound, potassium compound, rubidium compound, cesium compound, crystal optic property 21, 44, 13

ABSTRACT: The paper examines the optical properties of Li, Rb, and Cs metavanadates and Li orthovanadate, the dependence of refractive indices  $N_D$  on the mole % content of  $Me_2O$  in the composition of the  $V_2O_5-Me_2O$  system (where  $Me = Li, Na, K$ ), and the variation in refraction and birefringence with the cationic radius in the series of alkali metal metavanadates. The following properties of  $LiVO_3$ ,  $NaVO_3$ ,  $KVO_3$ ,  $RbVO_3$ , and  $CsVO_3$  are tabulated: system, most frequently encountered form, cleavage, optical orientation, refractive indices, birefringence, angle between optic axes, dispersion, color. It was found that as the mole % of content of  $Me_2O$  rises, the refractive indices of the compounds in the  $V_2O_5-Me_2O$  system decrease; in the series  $V_2O_5-MeVO_3-Me_3VO_4$  a linear dependence is observed, and for the compounds  $Me_4V_2O_7$  (where  $Me = Na$ ,

Card 1/2

L 4270-66

ACCESSION NR: AP5024568

K) and  $K_{32}V_{18}O_{61}$  only slightly divergent values were obtained. Orig. art. has: 3 figures and 1 table. 3

ASSOCIATION: Institut khimii Ural'skogo filiala AN SSSR (Institute of Chemistry, Ural Branch, AN SSSR) 44.55

SUBMITTED: 02Sep64

ENCL: 00

SUB CODE: SS,

NO REF SOV: 002

OTHER: 001

Card 2/2 DP